EnvirotekCorporation

Ultimate Surface Cleaners

Safety Data Sheets
EnvirotekCorporation
Issue Date: Revised 2025
800 533 9317

SoyIt™ Concrete-Masonry Graffiti Remover

Envirotek Corporation™ persuades all to read and understand the entire SDS, as there is important information throughout the document. **All raw material in this formula are EPA Approved raw materials.** We expect you to follow the safety measures identified in this document and product label, unless your use condition would require other corrected methods or actions. Our the surfactant-system helps neutralize and encapsulates the corrosive elements of the this formula, by GHS standards "mild skin and eye irritants". Making it safer to end user.

FOR INDUSTRIAL USE ONLY. UN#1814. 1-800-633-8253 (#11432) For SDS.

SECTION 1 – Product and Company Identification

Product Name: SoyIt™ **Product #60R**

Company Identification
MANUFACTURER'S NAME: **Envirotek** Corporation
ADDRESS: Mailing: PO Box 384
La Canada, CA 91012

INFORMATION PHONE: **800 533 931**
24-hour Emergency Phone:

INTENDED USE: Ready-to-use graffiti remover

SECTION 2 – Hazard Identification

SIGNAL WORD: **WARNING**

Emergency Overview
Color: Translucent - Dark Amber Brown
Physical State: Liquid
Odor: Citrus, Citrus-Terpen



Effects of overexposure

Eyes: Direct eye contact can cause irritation with discomfort, readIness and tearing or blurring of vision, possible damage of the Corneal.
Skin Contact: Prolonged or repeated exposure, may result in skin irritation leading to Dermatitis. Defatting of skin may also occur and discomfort or mild rash.
Inhalation: If mists or vapor are generated at high concentrates, may irritate noise, throat, and upper respiratory system and may cause drowsiness, and should be used in exterior applications or adequate ventilation only.
Ingestion: Swallowing small amount of this material may cause sever internal irritation, gastrointestinal Irritation, headache, nausea, vomiting and diarrhea, swallowing large amounts may be harmful.
Chronic Effects: None Known. Medical conditions generally aggravated by exposure: Not known.

SECTION 3 – Composition / Information on ingredients
Hazardous Components

Reportable Components	CAS Number	% By Weight
Ethanol	64-17-5	≥1%
Triethanolamine 85%	102-71-6.	≥1%
(D)-Limonene	5989-27-5	≥1%

EPA's Safer Choice program evaluates every intentionally added chemical ingredient against strict human health and environmental criteria. Approved raw materials. All raw material in this formula are EPA Approved raw materials

In compliance with OSHA HCS and UN GHS, Trade Secret / Confidential Business Information has been omitted.

SECTION 4 – First Aid Measures

Inhalation: Move to Fresh air immediately. Seek medical attention.
Skin Contact: Wash affected area with soap and water. Wash contaminated clothing before reuse.
Eye Contact: Remove contact lenses immediately. Flush eyes with plenty of water continually for at least 20 minutes. Get immediately medical attention.
Ingestion: Do not give anything by mouth to an unconscious or convulsing person, Do not induce vomiting. Get immediate medical attention.

SECTION 5 – Fire Fighting Measures

Flammable Properties: N/A
Hazardous Combustion Products: May form Smoke fumes, Carbon Monoxide, Carbon Dioxide.
Extinguishing Media: Foam, dry Chemical, Carbon Dioxide, Water spray/mist.
Precautions for Fire Fighters: Keep personnel removed and upwind of fire. Wear full protective equipment, including NIOSH approved self-contained breathing apparatus. Cool container with water spray.

Extinguishing: Extinguishers – Chemical Powders, Carbon Dioxide, and Foam – Keep packages near the fire cool to prevent bursting.
Exposure Hazards: A fire may produce thick black smoke. Do not breathe smoke.

Fumes may include carbon monoxide.
Protective Equipment for firefighting: Self-Contained Breathing Apparatus.

SECTION 6 – Accidental Release Measures

Initial Containment: Keep unnecessary people away. Do not eat, drink or smoke while cleaning up.
Steps To Be Taken In Case Material Is Released or Spilled: Dike spill. Collect and contain all spill with absorbent materials for disposal. Cover drains. Contain large spills and pump into a suitable tank for disposal. Observe all local, state and federal regulations regarding disposal.
Personal Precaution: Review Fire Fighting Measures and Handling (Personnel) sections before proceeding with clean-up. Use appropriate Protective Equipment during clean-up. Do not eat or

SECTION 7 – Handling and Storage

Precautions and Conditions for Safe Handling

Handling: All hazard precautions given in the MSDS/SDS must be observed. Emergency eyewash fountains and safety showers should be available in the immediate vicinity of potential exposure. Static ignition hazard can result from handling and use. Avoid getting into eyes, on skin or on clothing. Wash clothing after use. Always wear protective gloves and eye glasses. Keep container closed when not in use. Do not mix with other chemicals. Avoid breathing mist. No eating, drinking or smoking. Wash hands after use. Store in a well ventilated place. Keep Cool. Do not store near open flame or heat. Do not store near incompatible materials. Do not take internally. Transfer material only to approved, properly labeled containers,

Storage: 45°F- 95°F Store in area with good ventilation, in cool place. Keep from freezing – product stability may be affected. Stir well before use. Keep tightly closed.
KEEP OUT OF REACH OF CHILDREN

Incompatable Materials: Strong acids, alkalies and oxidizers.

SECTION 8 – Exposure Controls / Personal Protection

Occupational Exposure Limits:

ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :
CAS: TWA: STEL: Ceiling: Definition: Criteria:

Personal Protective Equipment: Wear protective clothing and chemical goggles. Wear PVC or rubber gloves for short-term exposure or PVA or Viton gloves for prolonged exposure. Respiratory and face-shield equipment approved for organic vapors and mists if there is a risk of exposure to vapor

Engineering Controls

Use only with adequate ventilation (local or mechanical) Recommended.

Personal Protection – Routine Handling

General Protective Measures: Avoid contact with eyes and skin.

The following recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow the regulatory guidelines established by local authorities.

Eye/Face Protection: Wear chemical splash goggles/shield in compliance with OSHA regulations and/or employer recommended in procedures.

Hand/Skin Protection: The gloves(s) listed below may provide protection against permeation (Gloves of other chemically resistant material may not provide adequate protection): Neoprene gloves. Wear waterproof boots, waterproof clothing.

Respiration Protection: Wear appropriate NOISH approved respiratory protection near by, unless adequate local exhaust ventilation is provided or exposure assessment is demonstrated that the limits are within recommended exposure guidelines.

Protective Measures: Facilities storing or utilizing this material should be equipped with an eye wash facility.

SECTION 9 – Physical and Chemical Properties

Appearance and Color: Amber-Brown Liquid
Odor: Citrus Fragrance, Citrus Terpene
Ph: 11.5-12.32
Boiling Point:
Freezing Point: <15°F
Flash Point: N/A
Evaporation Rate: N/E
Vapor Pressure: 0.6 mmHg
Vapor Density : 4.6 (Air=1)
Solution in Water: Soluble in Water
VOC: 27-28%
Viscosity: Thin Liquid

SECTION 10 – Stability and Reactivity

Chemical Stability: Stable at normal temperatures and storage conditions

Materials to Avoid: Avoid contact with strong acids, strong bases, strong oxidizing agents, and strong alkalis.

Conditions to Avoid: Freezing temperatures, excessive heat, open flame, prolonged storage at elevated temperatures.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: Aldehyds, carbon dioxide, carbon monoxide, ketones, organic acids and other toxic fumes. Empty containers my contain residue. Do not pressurize, cut, heat or expose containers to flame.

SECTION 11 – Toxicological Information

Acute Toxicity:
Oral: harmful if swallowed.
Inhalation: harmful by inhalation – note occupational exposure limits in section 8 – inhalation of concentrations above the OEL may lead to light headedness, nausea and headache. Inhalation may lead to light-headedness, nausea and headache.
Dermal: Can be absorbed through the skin. Corrosivity / Irritation:
Eye: Irritating to eyes
Skin: Irritating to skin -respiratory tract. May cause irritation
Sensitization: skin. No evidence of skin sensitization effects
Respiratory: No evidence of sensitization effects
Monograph(s) from the IARC (International Agency for Research on Cancer) :

SECTION 12 - Ecological Information

Persistence and degradability: All Components contained in the product are classified at "ready biodegradable".

Bio-accumulative potential: There is no evidence to be inherently biodegradable.

SECTION 13 – Disposal Considerations

Environmental Precautions: Obey all local, state, federal and international regulations.

SECTION 14 – Transportation Information



U.S. Department of Transportation (DOT)
UN/NA Number: UN 1814
Proper Shipping: UN 1814, Corrosive Liquid, N.O.S , 8, PGII Hazard Class: 8 (Corrosive)
Packing Group: 3
Label Required: Corrosive
Identity: (Trade Name per label): Usage: Graffiti Remover

SECTION 15 – Regulatory Considerations

STATE REGULATIONS: CALIFORNIA. CALIFORNIA PROPOSITION 65 (Safe Drinking Water and Toxic Enforcement Act of 1986): There are no trace amounts of chemicals known to the state of California to cause cancer or reproductive toxicity.

OSHA Hazard Communication Standard This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. US FEDERAL REGULATIONS TOXIC SUBSTANCE CONTROL ACT: Some chemicals comprising this product are listed on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA ACT of 1986 TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312 Immediate (Acute) Health Hazard: Yes Delayed (Chronic) Health Hazard: Yes Fire Hazard: Yes Reactive Hazard: No Sudden Release of Pressure Hazard: No

SECTION 16 – Other Information

Date SDS Prepared: Revised: 2025

Users Responsibility: The information in this SDS was obtained from sources which we believe to be reliable. However, the information is provided without any warranty, expressed or implied. We do not assume responsibility and expressly disclaim liability for loss, damage or expense rising out of, or in any way connected with the handling, storage, use or disposal of the product. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be. Use only as directed.

SECTION 18

Follow good safety practices. Use in well vented areas. Causes eye and skin irritation. Do not take internally. May be harmful or fatal if swallowed. Warning: This Product may contain detectable traces of chemicals known to cause cancer, birth defects or other reproductive harm. For further information refer to SDS. Do not pour unused materials back into original container. Always wear protective rubber gloves, proper clothing and face-shield/goggles while using this product. Do not dispose of cleaning residue, debris, soaked-cleaning towels or product containers in storm drains, streams and lakes, dispose of according to local, state and federal ordinances. Paint residue, soaked-cleaning towels, if not handled properly may cause spontaneous combustion. Always wash hands with clean water after handling product.